

## Full title name\*

Da-wei ZHANG (张大为)<sup>1</sup>, Ming LI (李明)<sup>2</sup>

(1. Department of Physics, Shanghai University, Shanghai 200444, P. R. China;

2. Department of Mechanical Engineering, Shanghai Jiao Tong University, Shanghai 200240, P. R. China)

**Abstract** Write the abstract here.

**Key words** word1, word2, word3

**Chinese Library Classification** number1, number2, number3

**2010 Mathematics Subject Classification** number1, number2, number3

### Nomenclature

$a$ , aspect ratio;

$v$ , velocity.

## 1 Introduction

Please write the introduction here. Note that all references should be cited in a sequential order. The citation should be signed as <sup>[1]</sup> or <sup>[2-7]</sup>.

## 2 Content

### 2.1 Content 1

Please write the content here. Note that all theorems, lemmas, and corollaries should be written in an italic form except the interpunction. However, remarks should not be written in an italic form. The following Lemma 1 and Remark 1 are examples.

**Lemma 1** *If  $n = 2$ , the function  $f$  is symmetric bi-additive.*

**Remark 1** Random fixed point theorems are stochastic generalizations of classical fixed point theorems, and are required for the theory of random equations.

Usually, equations are written in the following forms:

(i) If the equations are written in continuous rows, their first letters or marks (e.g., =,  $\leq$ ,  $\geq$ ) should be flush left. The following equations (1)–(3) are examples.

$$a = \frac{c + f \frac{df}{dr}}{r + f}, \quad (1)$$

$$c = d + f + k. \quad (2)$$

---

\* Received Dec. 16, 2011 / Revised Jan. 15, 2012

Project supported by the National Natural Science Foundation of China (No. 12345)

Corresponding author Ming LI, Professor, Ph. D., E-mail: abcde@yahoo.com.cn

$$\begin{aligned} s(r, x) \frac{\partial u}{\partial t} &= a(x, y) + c(c, y) \frac{\partial r}{\partial v} \\ &= \frac{c + v}{d + m}. \end{aligned} \quad (3)$$

(ii) If there are many equations with only one serial number, a { is suggested to be added as follows:

$$\begin{cases} 1 - hf_{xx}^0 > 0, \\ 1 - hf_{yy}^0 > 0. \end{cases} \quad (4)$$

(iii) Equation (5) is suggested as an array example.

$$\begin{aligned} &\begin{pmatrix} \phi_0(\xi_{-N}^i) & \phi_1(\xi_{-N}^i) & \cdots & \phi_{2N-1}(\xi_{-N}^i) & \phi_{2N}(\xi_{-N}^i) \\ \phi_0(\xi_{-N+1}^i) & \phi_1(\xi_{-N+1}^i) & \cdots & \phi_{2N-1}(\xi_{-N+1}^i) & \phi_{2N}(\xi_{-N+1}^i) \\ \vdots & \vdots & & \vdots & \vdots \\ \phi_0(\xi_{N-1}^i) & \phi_1(\xi_{N-1}^i) & \cdots & \phi_{2N-1}(\xi_{N-1}^i) & \phi_{2N}(\xi_{N-1}^i) \\ \phi_0(\xi_N^i) & \phi_1(\xi_N^i) & \cdots & \phi_{2N-1}(\xi_N^i) & \phi_{2N}(\xi_N^i) \end{pmatrix} \begin{pmatrix} C_0^i \\ C_1^i \\ \vdots \\ C_{2N-1}^i \\ C_{2N}^i \end{pmatrix} \\ &= (u(x_{i-N}) \quad u(x_{i-N+1}) \quad \cdots \quad u(x_{i+N-1}) \quad u(x_{i+N}))^T. \end{aligned} \quad (5)$$

## 2.2 Content 2

All figures and tables should be embedded in the approximate location after they have been mentioned, and each of them should be described.

All figures should be as clear as possible. For more details, please refer to the published papers at [www.amm.shu.edu.cn](http://www.amm.shu.edu.cn). There are several forms for embedding figures. You may take Figs. 1–5 as examples.




Fig. 1 Title 1






Fig. 2 Title 2



(a) Title 3



(b) Title 4

Fig. 3 Title 5




Fig. 4 Title 6




Fig. 5 Title 7

The forms of Figs. 1 and 2 and Fig. 3 are the most familiar ones on our journal. Sometimes, the forms of Figs. 4 and 5 are also used.

All tables should be listed in a three-line form. Table 1 is an example.

**Table 1** Comparisons of  $K_1/K_{I0}$  calculated by two methods for  $\theta = 0^\circ$  and  $\theta = 90^\circ$ 

$\theta/(^\circ)$	Method	$\phi/(^\circ)$				
		0	30	45	60	90
0	FEM	1.106 9	1.090 8	1.060 6	1.031 1	1.003 6
	The present analysis	1.123 0	1.101 3	1.068 0	1.034 8	1.003 6
90	FEM	0.933 5	0.960 3	0.981 1	0.997 1	1.000 9
	The present analysis	0.915 5	0.925 4	0.943 0	0.965 0	1.001 4

### 3 Conclusions

After the results have been presented, a section of conclusions are usually needed. Here, please just concentrate the main results.

**Acknowledgements** Thankful words are expressed here.

### References

- [1] Hirsch, C. *Numerical Computation of Internal and External Flows*, 2nd ed., John Wiley and Sons, New York, 272–276 (1998)
- [2] De Souza, J. and Silveria-Neto, A. Preliminary results of large eddy simulations of a hydrocyclone. *Thermal Engineering*, **3**(2), 168–173 (2004)
- [3] Chien, W. Z. and Qiu, Q. T. Incompatible elements and generalized variational principle. *Proceedings of Symposium on Finite Element Method*, Science Press, Beijing (1982)
- [4] Zheng, H. P. *Study on Nonlinear Dynamic Stability* (in Chinese), Ph. D. dissertation, Tianjin University, 31–46 (2000)
- [5] MPEG-4 Video Group. *MPEG-4 Video Verification Model Version 16.0*, ISO/IECJTC1/SC29/WG11, MPEG2000/N3312, Noordwijkerhout, the Netherlands, 357–360 (2000)
- [6] GB4161-84. *Standard Test Method for Plane-Strain Fracture Toughness (KIC) of Metallic Materials* (in Chinese), Bureau in Chinese National Standard, Beijing (1984)
- [7] Pandey, S. K. and Tripathi, D. Unsteady peristaltic transport of Maxwell fluid through finite length tube: application to oesophageal swallowing. *Appl. Math. Mech. -Engl. Ed.*, **33**(1), 15–24 (2012) DOI 10.1007/s10483-012-1530-9

### Appendix A

If there are appendices, please write them here.